



# TECHNICAL DATA SHEET

# KLD-Pink

KLD-Pink is a red dye. The superior quality in solubility and shading can always meet

the requirement of users.

KLD-Pink cationic liquid dye is a product line designed and manufactured specially for

paper coloration at various points. Liquid dyes can be used in virtually all areas of paper making due to their physical form, ease of handling and

suitability in systems with online color control.

Excellent purity is required to ensure the stability. No sedimentation, precipitation or corrosion should take place which happens because of salt present in any form. This helps the product to possess excellent Shelf Life.

# **Physical Properties:**

Physical Appearance
Solubility
Viscosity (20 °C)
Insolubles
PH
Dark Pinkish Liquid
Soluble In Water

< = 100 mpa.s
Less Than 0.5%
2.0 - 4.5

Solid Content 40 ± 2% Ionic Nature Cationic Stability Stable

# **Applications:**

KLD-Pink can be diluted with water in any proportion. However the stability of the solution depends on the quality of the water used.

Ideally DM water should be used for dilution, in practice condensate or mains water with low hardness can be used. Solution stability should always be tested with the local water quality before commitment.

In typical use pre dilution is not necessary and we recommend to add the product as received wherever possible.

#### **Fastness Properties:**

BACK WATER COLORATION	WATER FASTNESS	ALCOHOL FASTNESS	ACID FASSTNESS	ALKALI FASTNESS	LIGHT FASTNESS
3-4	3-4	4	4	3-4	1-2

### Storage & Handling:

Keep closure tight and container upright to prevent leakage. Open container slowly. Do not get in eyes. Avoid skin contact and contact with clothing. Do not take internally.

Store and use in cool, dry, well-ventilated areas. Keep containers closed when not in use. Keep away from excessive heat or open flame.

#### Packing:

25 kgs Carboys & 1100 kgs IBC

#### Disclaimer:

The suggestion & data in this publication is currently believed to be accurate. We do not guarantee its accuracy as the conditions & methods of the use of our products are beyond our control. Purchasers should always make their own determination of its suitability and completeness for a particular use, for the protection of the environment & for the health and safety of employees.

TEL: +66 2 320 5200 FAX: +66 2 320 5208 E-MAIL: info@kernik.com WEB SITE: www.kernik.com